

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3495	- RANGE FRONT LIGHT	39 52 59 N 75 12 01 W	Iso G 2s	28		On skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
		*				*	31/02
3500	- RANGE REAR LIGHT 290 yards, 274.3° from front light.		F G	76		On white pyramidal tower.	Visible on range line only. Lighted throughout 24 hours.
	*					*	31/02
8040	- RANGE FRONT LIGHT	39 11 19 N 76 23 40 W	Fl W 3s	22		Brown dwelling on cylindrical pier.	Lighted throughout 24 hours.
		*					31/02
8045	- PASSING LIGHT		Fl W 3s (R sector)	39	W 8 R 6	On same structure as Craighill channel Range Front Light.	Upper lights obscured on rangeline and from 349° to 011°, red from 311° to 316°.
						*	31/02
8050	- RANGE REAR LIGHT 4907 yards, 359.6° from front light.		F W	105		Square, pyramidal tower lower part white, upper part brown.	Lighted throughout 24 hours.
	*						31/02
8090	- UPPER RANGE FRONT LIGHT	39 11 49 N 76 26 54 W	F R	15		Red, octagonal tower, white horizontal bands at middle.	Lighted throughout 24 hours.
		*					31/02
8095	- UPPER RANGE REAR LIGHT 2692 yards, 329.1° from front light.		F R	74		White square pyramidal skeleton and central shaft.	Lighted throughout 24 hours.
	*						31/02
8150	- RANGE FRONT LIGHT On shoal near Hawkins Point.	39 12 28 N 76 31 57 W	F G	38		On skeleton tower.	Lighted throughout 24 hours.
		*					31/02
8155	- RANGE REAR LIGHT 1939 yards, 290.8° from front light.		F G	82		Black skeleton tower.	Lighted throughout 24 hours.
	*						31/02
8220	- RANGE FRONT LIGHT	39 15 50 N 76 34 40 W	Iso G 6s	41		On skeleton tower.	Lighted throughout 24 hours.
		*					31/02
8225	- RANGE REAR LIGHT 1825 yards, 320.3° from front light.		Iso R 10s	113		On skeleton tower.	Lighted throughout 24 hours.
	*						31/02
Back Creek Channel							
9105	- RANGE FRONT LIGHT	39 31 49 N 75 51 51 W	Q W	25		KWB on white skeleton tower, small white house.	
		*					31/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9110	- RANGE REAR LIGHT 410 yards, 048.2° from front light.		Iso W 6s	50		KWB on skeleton tower.	
	*						31/02
14545	- Channel Buoy 4A					Red nun.	
	*					*	31/02
28500	- Channel Daybeacon 24B						<i>Remove from list.</i>
							*
							31/02
*39507	LIGHT 89		FI G 2.5s	15	3	SG-SY on pile.	
							31/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
St. Louis Bay							
Bayou Portage Channel							
8980	- Daybeacon 2					TR on pile.	Private aid. Ra ref.
							*
							31/02
8985	- LIGHT 3		Q G	17	3	SG on pile.	Ra ref.
					*	*	*
							31/02
8990	- Daybeacon 4					TR on pile.	Private aid. Ra ref.
							*
							31/02
8995	- Daybeacon 5					SG on pile.	Private aid. Ra ref.
							*
							31/02
9000	- LIGHT 7		FI G 4s	17	3	SG on dolphin.	Ra ref.
					*		*
							31/02
9005	- Daybeacon 9	30 26 33 N 89 16 14 W				SG on pile.	Private aid. Ra ref.
		*					*
							31/02
*10426	Williams Land Company Danger Daybeacon South	30 19 52 N 90 24 42 W		7		NW on pile.	Worded: Danger barricade Ahead.
							31/02
*10427	Williams Land Company Danger Lighted Buoy	30 19 53 N 90 24 43 W				White with Orange Bands and Open Face Diamond.	Marks Barricade on Private Canal.
							31/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10428	Williams Land Company Danger Daybeacon North	30 19 52 N 90 24 45 W		7		NW on pile.	Worded: Danger barricade Ahead.
							31/02
10760	- LIGHT 44 150 feet outside channel limit.		FI (2) R 5s	17	4	TR on dolphin.	Ra ref.
							*
							31/02
16696.09	- Daybeacon 9			17		SG on pile.	Ra ref.
						*	*
							31/02
16696.42	- LIGHT 42		Q R	17	4	TR on pile.	Ra ref.
						*	*
							31/02
18240	- Buoy 11						Remove from list.
							*
							31/02
*18242	-LIGHT 11	29 31 30 N 91 16 45 W	FI G 4s	17	4	SG on pile.	
							31/02
*18253	-LIGHT 15	29 32 01 N 91 16 48 W	FI G 2.5s	17	4	SG on pile.	
							31/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8765	Guano Rock Lighted Whistle Buoy 4	43 21 15 N 124 20 26 W	FI R 4s		3	Red.	
		*					31/02
9245	- SOUTH JETTY LIGHT 2A	43 39 58 N 124 13 07 W	FI R 2.5s	15	4	Red pile structure.	Due to weather conditions the dayboards have been permanently removed from this aid.
		*			*	*	Ra ref.
							*
							31/02
*9247	-South Jetty Fog Signal	43 39 59 N 124 13 10 W					HORN: 1 blast ev 15s (2s bl). Maintained from May 20 to Sep. 30.
							31/02
10045	- Range Buoy 35A 68 yards outside channel limit.	46 11 41 N 123 51 24 W				Green can.	
		*					31/02
10832	SHAVER TRANSPORTATION MOORING BARGE LIGHTS (2)	46 05 24 N 122 55 48 W	F R	10		On mooring barge.	Private aid.
	*						31/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10834	SHAVER TRANSPORTATION MOORING BARGE LIGHT B						<i>Remove from list.</i>
							* 31/02
*14040	RED WOLF REGULATORY BUOY	46 25 27 N 117 04 15 W				White can with orange bands and orange diamond worded DANGER.	Private aid.
							31/02
16345	<i>Puget Sound Traffic Lane Entrance Lighted Buoy S</i>	48 12 21 N 123 06 35 W	FI Y 4s		6	Yellow.	RACON: Z (— — ••).
		*					31/02
*16718	EDMONDS FERRY TERMINAL LIGHTS (2)		FI Y 4s	30		On dolphin.	Private aid.
							31/02
17745	PORT GAMBLE LIGHT 1	47 51 44 N 122 34 37 W	FI G 4s	15	3	SG on dolphin.	
		*					31/02
*18293	GLACIER NORTHWEST BARGE MOORING BUOY A	47 45 06 N 122 15 54 W					Private aid.
							31/02
18452	SQUAXIN ISLAND FISH PEN LIGHTS (2)	47 12 00 N 122 54 12 W	FI Y 6s	4		Aquaculture facility.	Private aid.
	*						31/02
18453	SQUAXIN ISLAND FISH PEN LIGHT B						<i>Remove from list.</i>
							* 31/02
*18489	HAT ISLAND MARINA BREAKWATER LIGHT 1	48 01 12 N 122 19 17 W	FG	8		On pile structure.	Private aid.
							31/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.